



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/928,192	08/10/2001	Shell Sterling Simpson	10007680-1	6999

7590 08/11/2005
HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P.O. Box 272400
Fort Collins, CO 80527-2400

EXAMINER

NANO, SARGON N

ART UNIT	PAPER NUMBER
----------	--------------

2157

DATE MAILED: 08/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/928,192

Applicant(s)

SIMPSON, SHELL STERLING

Examiner

Sargon N. Nano

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 - 40 is/are pending in the application.
- 4a) Of the above claim(s) 1 - 6, 38 - 40 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 7 - 37 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Amendment

1. This action is responsive to amendment filed on May 13, Applicant elected claims of group II (7 – 37) to prosecute without traverse.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 7, 9 - 20, 22 - 28, 29, 32 - 37 are rejected under 35 U.S.C. 102(e) as being anticipated by Blumenau et al U.S Patent No. 6,665,714.

As to claim 7, Blumenau teaches one or more computer readable media having stored thereon a plurality of instructions that, when executed by one or more processors, causes the one or more processors to perform acts comprising:

identifying one or more devices in a network (see col.6, line 43 – col.7, line 12 Blumenau discloses the identification of devices in a network and the ports of particular devices coupled to a network);

obtaining, for at least one of one or more network switches in the network, an indication of which port of the network switch a computing device is coupled to(see

col.7 lines 1 – 12, Blumenau discloses the port of a particular device coupled to a network);

obtaining, for each of the one or more identified devices and for the at least one network switch, an indication of which port of the network switch the identified device is coupled to (see col. 6 lines 4 – 13 and col.6 lines 43 – col7, line 12 Blumenau discloses the identification of the device and what port is used) ; and

determining, for at least one of the one or more identified devices, how close the identified device is to the computing device, wherein the determining is based at least in part on the indication of which port of the network switch the computing device is coupled to and the indication of which ports of the network switch the one or more identified devices are coupled to (see col. 28 lines 35 – 65, and fig.14, Blumenau discloses different ways of storage systems).

As to claim 9, Blumenau teaches one or more computer readable media as recited in claim 7, wherein obtaining an indication of which port of the network switch a computing device is coupled to comprises obtaining the indication from the network switch (see col.7 lines 1 – 5 Blumenau discloses the source identifier identifies the device).

As to claim10, Blumenau teaches one or more computer readable media as recited in claim 7, wherein obtaining an indication of which port of the network switch the identified device is coupled to comprises obtaining the indication from the network switch (see col.7 lines 1 – 12, Blumenau discloses the port of a particular device coupled to a network).

As to claim 11, Blumenau teaches one or more computer readable media as recited in claim 7, wherein the determining comprises generating, for at least one of the one or more identified devices, a ranking indicating a proximity of the identified device to the computing device relative to the other identified devices see col. 29, lines 56 – 67, Blumenau discloses multiple selected system are selected).

As to claim 12, Blumenau teaches one or more computer readable media as recited in claim 11, wherein the plurality of instructions further cause to one or more processors to perform an additional act comprising: presenting, to a user, each of the generated rankings(see figs. 17 – 20).

As to claim13, Blumenau teaches one or more computer readable media as recited in claim 7, wherein the computing device comprises both the computer readable media and the one or more processors (see col. 7, lines 15 – 35, Blumenau discloses the use of a host processor device to communicate with storage system) .

As to claim 14, Blumenau teaches one or more computer readable media as recited in claim 7, wherein the computing device comprises both the one or more processors and an I/O device to read the one or more computer readable media (see col. 7, lines 15 – 35, Blumenau discloses the use of a host processor device to communicate with storage system).

AS to claim15, Blumenau teaches one or more computer readable media as recited in claim 7, wherein determining how close the identified device is to the computing device comprises:

checking whether the identified device shares the same port on the switch as the computing device and with a smallest number of other devices also sharing the same port (see col.7 lines 1 – 12, (see col.7 lines 1 – 12, Blumenau discloses the port of a particular device is coupled to a network); and ;

determining, if the identified device shares the same port on the switch as the computing device and with the smallest number of other devices also sharing the same port, that the identified device is one of the closest devices to the computing device (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices).

As to claim 16, Blumenau teaches one or more computer readable media as recited in claim 15, wherein determining how close the identified device is to the computing device further comprises:

checking whether the identified device shares the same port on the switch as the computing device and with a smaller number of other devices also sharing the same port (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices); and

determining, if the identified device shares the same port on the switch as the computing device and with the smaller number of other devices also sharing the same port, that the identified device is a second closest device to the computing device. (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col.28 lines 35 – 65).

As to claim 17, Blumenau teaches one or more computer readable media as

Art Unit: 2157

recited in claim 16, wherein determining how close the identified device is to the computing device further comprises:

checking whether the identified device shares the same port on the switch as the computing device without regard for a number of other devices also sharing the same port (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col.28 lines 35 – 65).; and

determining, if the identified device shares the same port on the switch as the computing device without regard for the number of other devices also sharing the same port, that the identified device is a third closest device to the computing device (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col.28 lines 35 – 65).

As to claim 18, Blumenau teaches one or more computer readable media as recited in claim 17, wherein determining how close the identified device is to the computing device further comprises:

checking whether the identified device shares the switch with any number of other devices also sharing the switch(see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col.28 lines 35 – 65);

determining, if the identified device shares the switch with any number of other devices also sharing the switch, that the identified device is a fourth closest device to the computing device(see col. 28 lines 35 – 65); and

determining, if the identified device does not share the switch with any number of other devices also sharing the switch, that the identified device is a fifth closest device

to the computing device (see col. 28 lines 35 – 65).

As to claim 19, Blumenau teaches one or more computer readable media as recited in claim 7, wherein determining how close the identified device is to the computing device comprises:

if the identified device shares the same port on the switch as the computing device and with a smallest number of other devices also sharing the same port, then determining the identified device is one of the closest devices to the computing device(see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices);

otherwise, if the identified device shares the same port on the switch as the computing device and with a smaller number of other devices also sharing the same port, then determining the identified device is a second closest device to the computing device(see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col. 28 lines 35 and 65);

otherwise, if the identified device shares the same port on the switch as the computing device and without regard for a number of other devices also sharing the same port, then determining the identified device is a third closest device to the computing device(see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col. 28 lines 35 and 65);

; and

otherwise, if the identified device shares the switch with any number of other devices also sharing the switch, then determining the identified device is a fourth closest device to the computing device, and otherwise determining the identified device is a fifth

Art Unit: 2157

closest device to the computing device (see col.28, lines 35 – 65, Blumenau discloses the sharing of a port by devices and col. 28 lines 35 and 65).

As to claim 20, Blumenau teaches a method, implemented in a computing device that is part of a network, the method comprising:

detecting one or more network switches in the network (see col.6, line 43 – col.7, line12 Blumenau discloses the identification of devices in a network)

identifying one or more other devices of a particular type in the network (see col.6, line 43 – col.7, line12 Blumenau discloses the identification of devices in a network).

obtaining, for each of the identified one or more other devices and for at least one of the one or more network switches, an indication of which port of the network switch the device is coupled to, wherein the indication is obtained from at least one of the one or more network switches(see col.6, line 43 – col.7, line12 Blumenau discloses the identification of devices in a network and what port is used; and

ranking, based at least in part on the obtained indications as well as which port of the network switch the computing device is coupled to, the one or more other devices in terms of their inferred proximity to the computing device(see col. 29, lines 56 – 67, Blumenau discloses multiple selected systems are selected) .

As to claim 22, Blumenau teaches a method as recited in claim 20, wherein identifying one or more other devices of a particular type in the network comprises identifying the one or more other devices in the network by accessing a list of device identifiers (see col.6, line 43 – col.7, line12 Blumenau discloses the identification of

devices in a network).

As to claim 23, Blumenau teaches a method as recited in claim 20, wherein identifying one or more other devices of a particular type in the network comprises identifying the one or more other devices in the network by querying a plurality of devices on the network to determine, for each of the plurality of devices, whether the device is of the particular type (see col.7 lines 1 – 5 Blumenau discloses the source identifier identifies the device).

As to claim 24, Blumenau teaches a method as recited in claim 20, further comprising presenting, to a user, the ranking of at least one of the one or more other devices (see col. 28 lines 35 – 65).

As to claim 25, Blumenau teaches a method as recited in claim 20, wherein ranking a device of the one or more other devices comprises:

checking whether the device shares the same port on a network switch as the computing device and with a smallest number of additional devices also sharing the same port (see col. 28 lines 35 – 65) ; and

determining, if the device shares the same port on the network switch as the computing device and with the smallest number of additional devices also sharing the same port, that the device is one of the closest devices to the computing device (see col. 28 lines 35 – 65).

As to claim 26, Blumenau teaches a method as recited in claim 25, wherein ranking the device of the one or more other devices further comprises:

Art Unit: 2157

checking whether the device shares the same port on the network switch as the computing device and with a smaller number of the additional devices also sharing the same port (see col. 28 lines 35 – 65). ;

determining, if the device shares the same port on the switch as the computing device and with the smaller number of the additional devices also sharing the same port, that the device is a second closest device to the computing device (see col. 28 lines 35 – 65) .

AS to claim 27, Blumenau teaches a method as recited in claim 26, wherein ranking the device of the one or more other devices further comprises:

checking whether the device shares the same port on the switch as the computing device without regard for a number of additional devices also sharing the same port (see col. 28 lines 35 – 65 and fig.17);

determining, if the device shares the same port on the switch as the computing device without regard for the number of additional devices also sharing the same port, that the device is a third closest device to the computing device. (see col. 28 lines 35 – 65 and fig. 22) .

As to claim 28, Blumenau teaches a method as recited in claim 27, wherein ranking the device of the one or more other devices further comprises:

checking whether the device shares the switch with any number of additional devices also sharing the switch(see col. 28 lines 35 – 65 and fig. 22);

determining, if the device shares the switch with any number of additional devices also sharing the switch, that the device is a fourth closest device to the computing device (see col. 28 lines 35 – 65 and fig. 1c); and

determining, if the device does not share the switch with any number of additional devices also sharing the switch, that the device is a fifth closest device to the computing device (see col. 28 lines 35 – 65 and fig. 1c).

As to claim 29, Blumenau teaches a method, comprising:

discovering network switches in a network (see col. 6 line 43 – col. 7 line 12)

identifying devices connected to the network (see col.7 line 1- 12);

determining each switch and each port to which the devices are coupled(see col.6 lines 4– 13 and col.6 lines 43 – col. 7 line 12);

determining each switch and each port to which a user computer is coupled; and ranking the devices based upon their inferred proximity to the user computer(see col 28 lines 35 – 65 and fig. 14).

As to claim 32, Blumenau teaches the method of claim 29, wherein identifying devices comprises consulting a list of network device identifiers (see col.7 line 1- 12).

As to claim 33, Blumenau teaches the method of claim 29, wherein identifying devices comprises querying multiple addresses on the network(see col.7 line 1- 12).

As to claim 34, Blumenau teaches the method of claim 29, wherein determining each switch and each port to which the devices and the user computer are coupled comprises obtaining switch and port information from at least one network switch(see col. 28 lines 35 – 65, and fig.14).

As to claim 35, Blumenau teaches the method of claim 34, wherein obtaining switch and port information comprises obtaining the switch and port information from a connection table of the at least one network switch(see col.7 lines 1 – 12).

As to claim 36, Blumenau teaches the method of claim 29, further comprising automatically selecting the closest device (see col.28, lines 35 – 65).

As to claim 37, Blumenau teaches the method of claim 29, further comprising presenting the rankings to the user(see col. 28 lines 35 – 65).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8, 21, 30 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blumenau et al U.S. Patent No.6,665,714 and further in view of official notice.

As to claims 8, 21 and 31 Blumenau teaches a system, a method, and a computer readable media comprising: a device proximity detector to determine, for each of one or more devices in a network, an inferred proximity of the device to the system based at least in part on which port of a network switch the system is coupled to and

Art Unit: 2157

which port of the network switch the device is coupled to (see col.6, line 43 – col.7, line12 Blumenau discloses the identification of devices in a network and the ports of particular devices coupled to a network) ; and

a network interface, coupled to the device proximity detector, to allow the device proximity detector to communicate with the one or more network switches see col. 7 lines 13 – 34 Blumenau discloses the interface of devices in the network may require little redesign).

Blumenau does not teach the limitation “wherein at least one of the one or more devices comprises a printer”. Official notice is taken that one of the ordinary skill in the art at the time of the invention was made would include a printer because by doing so would allow the user to automatically configure different types of devices on private network using GUI.

As to claim 30 is rejected over Blumenau et al U.S. Patent No.6,665,714 and further in view of official notice.

Blumenau teaches a SCSI protocol. Blumenau does not explicitly teach SBMP as recited in claim 30, however Blumenau suggests using a number of other protocols. It would have been obvious that one of the ordinary skill in the art at the time of the was made invention would use SNMP protocol in Blumenau’s invention because doing so would enable devices in a network to acquire knowledge of the type of protocol that is being used on the particular Fibre Channel interconnect.

Response to Arguments

4. Applicant arguments have been fully considered but they are not persuasive.

Applicant argues in substance that A) Blumenau does not disclose "how close the identified devices to the computing device".

In response to A) Blumenau teaches identifying devices connected to a host processor using graphical user interface(GUI) to identify port connection to various devices and host processors (see col. 2 line 4- 64). The claim states determining how close the device is based on the port connection to the identified device and the computing device. The claim language does not specifically define whether "how close" refers to distance between the 2 computers , number of hops, communication time and so on. Examiner broadly interprets "how close" to be whether a port connection exists between the 2 devices therefore Blumenau meets the language of the claimed limitation.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2157


extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sargon N Nano whose telephone number is (571) 272-4007. The examiner can normally be reached on 8 hour.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sargon Nano

Patent Examiner


ABDULLAHI SALAD
8/6/07